

Eye Bolts



Part No.	Description	Dimensions			
		A	L	Eye	T
* CSWEB001	Eye Bolt	M8	150 mm	19 mm	100 mm
* CSWEB002	Eye Bolt	M10	75 mm	25 mm	40 mm
* CSWEB003	Eye Bolt	M10	100 mm	25 mm	50 mm
* CSWEB004	Eye Bolt	M10	150 mm	25 mm	100 mm
* CSWEB005	Eye Bolt	M12	75 mm	38 mm	40 mm
* CSWEB006	Eye Bolt	M12	150 mm	38 mm	100 mm

Specifications: Material - Mild Steel · Finish - Gold Passivate · All Eye Bolts are Thread Rolled

Foundation Bolts



Part No.	Description	Dimensions			
		A	L	D	T
CSWLBMS05	Foundation Bolt	M12	250 mm	75 mm	100 mm
CSWLBMS10	Foundation Bolt	M12	350 mm	75 mm	100 mm
CSWLBMS15	Foundation Bolt	M12	600 mm	75 mm	100 mm
CSWLBMS20	Foundation Bolt	M16	350 mm	75 mm	100 mm
CSWLBMS25	Foundation Bolt	M16	450 mm	75 mm	100 mm
CSWLBMS30	Foundation Bolt	M16	500 mm	75 mm	100 mm
CSWLBMS35	Foundation Bolt	M16	550 mm	75 mm	100 mm
CSWLBMS40	Foundation Bolt	M16	600 mm	75 mm	100 mm
CSWLBMS45	Foundation Bolt	M20	300 mm	75 mm	100 mm
CSWLBMS50	Foundation Bolt	M20	350 mm	75 mm	100 mm
CSWLBMS55	Foundation Bolt	M20	400 mm	75 mm	100 mm
CSWLBMS60	Foundation Bolt	M20	450 mm	75 mm	100 mm
CSWLBMS65	Foundation Bolt	M20	500 mm	75 mm	100 mm
CSWLBMS70	Foundation Bolt	M20	550 mm	75 mm	100 mm

Specifications: Material - Mild Steel · Finish - Plain · All Foundation Bolts are Thread Rolled · Can be supplied Loose or Caged.

Hook Bolts



Part No.	Description	Dimensions				
		A	L	T	E	D
* CSWHBMS05	Hook Bolt	M6	25 mm	13 mm	45°	19 mm
* CSWHBMS10	Hook Bolt	M6	38 mm	25 mm	45°	19 mm
* CSWHBMS15	Hook Bolt	M6	51 mm	38 mm	45°	19 mm
* CSWHBMS20	Hook Bolt	M6	63 mm	38 mm	45°	19 mm
* CSWHBMS25	Hook Bolt	M6	76 mm	38 mm	45°	19 mm
* CSWHBMS30	Hook Bolt	M6	89 mm	38 mm	45°	19 mm
* CSWHBMS35	Hook Bolt	M6	102 mm	38 mm	45°	19 mm
* CSWHBMS40	Hook Bolt	M6	115 mm	38 mm	45°	19 mm
* CSWHBMS45	Hook Bolt	M6	127 mm	38 mm	45°	19 mm
* CSWHBMS50	Hook Bolt	M6	152 mm	38 mm	45°	19 mm
* CSWHBMS55	Hook Bolt	M6	203 mm	38 mm	45°	19 mm

Specifications: Material - Mild Steel · Finish - Gold Passivate · All Hook Bolts are Thread Rolled


* indicates items standard to the display stands

Mech Craft ENG. reserves the right to add, amend, or delete sizes without notice.

Tel: +61 3 8736 1314

e-mail: info@mechcraftengineering.com.au · website: mechcraftengineering.com.au


J Bolts



Part No.	Description	Dimensions				
		A	W	L	T	D
* CSWJBMS05	J Bolt	M6	22 mm	60 mm	38 mm	19 mm
* CSWJBMS10	J Bolt	M6	27 mm	70 mm	38 mm	19 mm
* CSWJBMS15	J Bolt	M6	35 mm	73 mm	38 mm	29 mm
* CSWJBMS20	J Bolt	M6	43 mm	83 mm	38 mm	35 mm
* CSWJBMS25	J Bolt	M6	49 mm	95 mm	38 mm	38 mm
* CSWJBMS30	J Bolt	M6	55 mm	105 mm	38 mm	41 mm
* CSWJBMS35	J Bolt	M6	60 mm	111 mm	38 mm	48 mm

Specifications: Material - Mild Steel · Finish – Gold Passivate · All J Bolts are Thread Rolled

V Bolts



Part No.	Description	A	Dimensions		
			L	T	W
* CSWVBA01	V Bolt	M8	85 mm	55 mm	65 mm
* CSWVBA02	V Bolt	M8	95 mm	55 mm	65 mm
* CSWVBA03	V Bolt	M8	140 mm	55 mm	65 mm

Specifications: Material - Mild Steel · Finish – Gold Passivate · All V Bolts are Thread Rolled

Rag Bolts



Part No.	Description	A	Dimensions		
			L	T	PCD
CSWRBM24	Rag Bolt (Mild Steel)	M24	600 mm	120 mm	353 mm
CSWRBH24	Rag Bolt (High Tensile)	M24	600 mm	120 mm	353 mm

Mild Steel Grade 300 mpa · Finish – Hot Dipped Galvanised

High Tensile Grade 4140 · Finish – Hot Dipped Galvanised

Assembly includes:

- 2 x Rag Bolts Mild Steel
- 1 x Template
- 8 x M24 Hex Nuts Galvanised
- 8 x M24 Flat Washers Galvanised
- 4 x M24 Spring Washers Galvanised

Assembly includes:

- 2 x Rag Bolts High Tensile
- 1 x Template
- 8 x M24 High Tensile Hex Nuts Galvanised
- 8 x M24 High Tensile Flat Washers Galvanised
- 8 x M24 Spring Washers Galvanised

Stillage feet



Part No.	Description	Diameter	Dimensions	
			Height	Thickness
CSW	Weld on Foot	140 mm	35 mm	2 mm

Specifications: Material - Mild Steel · Finish – Plain

* indicates items standard to the display stands
 Mech Craft ENG. reserves the right to add, amend, or delete sizes without notice.
 Tel: +61 3 8736 1314

e-mail: info@mechcraftengineering.com.au · website: mechcraftengineering.com.au



U Bolts Nominal Bore Pipe

Part No.	Description	Nom. Bore Pipe	A	W	L	T	Material
* CSWUBRTMS195G	U Bolts Nominal Bore Pipe	15NB	M8	22 mm	60 mm	38 mm	Mild Steel
* CSWUBNB01	U Bolts Nominal Bore Pipe	20NB	M8	27 mm	90 mm	65 mm	Mild Steel
* CSWUBNB02	U Bolts Nominal Bore Pipe	25NB	M8	34 mm	90 mm	65 mm	Mild Steel
* CSWUBNB03	U Bolts Nominal Bore Pipe	32NB	M10	43 mm	95 mm	65 mm	Mild Steel
* CSWUBNB04	U Bolts Nominal Bore Pipe	40NB	M10	49 mm	115 mm	65 mm	Mild Steel
* CSWUBNB05	U Bolts Nominal Bore Pipe	50NB	M10	60.5 mm	127 mm	76 mm	Mild Steel
* CSWUBNB06	U Bolts Nominal Bore Pipe	65NB	M12	76 mm	153 mm	89 mm	Mild Steel
* CSWUBNB07	U Bolts Nominal Bore Pipe	80NB	M12	89 mm	180 mm	100 mm	Mild Steel
* CSWUBRTMS45G	U Bolts Nominal Bore Pipe	90NB	M12	102 mm	200 mm	100 mm	Mild Steel
* CSWUBNB08	U Bolts Nominal Bore Pipe	100NB	M12	114 mm	165 mm	100 mm	Mild Steel
* CSWUBRTMS55G	U Bolts Nominal Bore Pipe	125NB	M12	141 mm	200 mm	100 mm	Mild Steel
* CSWUBNB09	U Bolts Nominal Bore Pipe	150NB	M12	165 mm	220 mm	100 mm	Mild Steel
* CSWUBRTMS140G	U Bolts Nominal Bore Pipe	200NB	M16	219 mm	295 mm	75 mm	Mild Steel
* CSWUBRTMS145G	U Bolts Nominal Bore Pipe	250NB	M20	273 mm	370 mm	100 mm	Mild Steel
* CSWUBRTMS150G	U Bolts Nominal Bore Pipe	300NB	M20	324 mm	420 mm	100 mm	Mild Steel
* CSWUBRTMS155G	U Bolts Nominal Bore Pipe	350NB	M20	356 mm	455 mm	100 mm	Mild Steel
* CSWUBRTMS160G	U Bolts Nominal Bore Pipe	400NB	M20	405 mm	505 mm	100 mm	Mild Steel

Specifications: Material - Mild Steel · Finish – Galvanised · All U Bolts are Thread Rolled Imperial and other thread sizes available on request.



U Bolts Round Top

Part No.	Description	A	W	L	T	Material
* CSWUBRT01	U Bolts Round Top	M12	40 mm	115 mm	50 mm	Mild Steel
* CSWUBRT02	U Bolts Round Top	M12	40 mm	127 mm	50 mm	Mild Steel
* CSWUBRT03	U Bolts Round Top	M12	40 mm	150 mm	100 mm	Mild Steel
* CSWUBRT04	U Bolts Round Top	M12	50 mm	115 mm	50 mm	Mild Steel
* CSWUBRT05	U Bolts Round Top	M12	50 mm	127 mm	50 mm	Mild Steel
* CSWUBRT06	U Bolts Round Top	M12	50 mm	150 mm	100 mm	Mild Steel
* CSWUB4WD3	U Bolts Round Top	M14	83 mm	240 mm	100 mm	High Tensile±
* CSWUB4WD6	U Bolts Round Top	M12	75 mm	190 mm	100 mm	High Tensile±
* CSWUB4WD7	U Bolts Round Top	M12	90 mm	220 mm	100 mm	High Tensile±
* CSWUB4WD8	U Bolts Round Top	M14	97 mm	210 mm	100 mm	High Tensile±
* CSWUB4WD11	U Bolts Round Top	M14	95 mm	230 mm	100 mm	High Tensile±

Specifications: Material - Mild Steel · ± High Tensile XK1340 supplied with 2 Deep Nuts · Finish – Gold Passivate · All U Bolts are Thread Rolled Imperial and other thread sizes available on request.

* indicates items standard to the display stands

Mech Craft ENG. reserves the right to add, amend, or delete sizes without notice.

Tel: +61 3 8736 1314

e-mail: info@mechcraftengineering.com.au · website: mechcraftengineering.com.au



U Bolts Square Top

Part No.	Description	A	W	L	T	Material
* CSWUBST07	U Bolts Square Top	M12	40 mm	115 mm	50 mm	Mild Steel
* CSWUBST08	U Bolts Square Top	M12	40 mm	150 mm	100 mm	Mild Steel
* CSWUBST09	U Bolts Square Top	M12	45 mm	140 mm	100 mm	Mild Steel
* CSWUBST10	U Bolts Square Top	M12	50 mm	140 mm	100 mm	Mild Steel
* CSWUBST14	U Bolts Square Top	M12	50 mm	200 mm	100 mm	Mild Steel
* CSWUBST15	U Bolts Square Top	M12	65 mm	150 mm	100 mm	Mild Steel
* CSWUBST16	U Bolts Square Top	M12	75 mm	150 mm	100 mm	Mild Steel
* CSWUBST17	U Bolts Square Top	M16	90 mm	200 mm	100 mm	Mild Steel
* CSWUBST18	U Bolts Square Top	M16	100 mm	150 mm	100 mm	Mild Steel
* CSWUBST19	U Bolts Square Top	M16	100 mm	200 mm	100 mm	Mild Steel
* CSWUBCH08	U Bolts Square Top	M12	80 mm	200 mm	100 mm	Mild Steel
* CSWUBCH12	U Bolts Square Top	M12	80 mm	300 mm	100 mm	Mild Steel
* CSWUBCH16	U Bolts Square Top	M12	80 mm	400 mm	100 mm	Mild Steel
CSWUB4WD1±	U Bolts Square Top	M14	63 mm	215 mm	100 mm	High Tensile±
CSWUB4WD2±	U Bolts Square Top	M14	73 mm	240 mm	100 mm	High Tensile±
CSWUB4WD4	U Bolts Square Top	M14	83 mm	240 mm	100 mm	High Tensile±
CSWUB4WD9	U Bolts Square Top	M12	63 mm	115 mm	75 mm	High Tensile±

Specifications: Material - Mild Steel · ± High Tensile XK1340 supplied with 2 Deep Nuts · Finish – Gold Passivate · All U Bolts are Thread Rolled
± Forged Top · Imperial and other thread sizes available on request.



U Bolts Square Top Galvanised

Part No.	Description	A	W	L	T	Material
* CSWUBST20	U Bolts Square Top	M10	28 mm	60 mm	30 mm	Mild Steel
* CSWUBST21	U Bolts Square Top	M12	40 mm	110 mm	50 mm	Mild Steel
* CSWUBST22	U Bolts Square Top	M12	50 mm	100 mm	50 mm	Mild Steel
* CSWUBST23	U Bolts Square Top	M12	50 mm	170 mm	50 mm	Mild Steel
* CSWUBST24	U Bolts Square Top	M12	65 mm	90 mm	50 mm	Mild Steel
* CSWUBST25	U Bolts Square Top	M12	75 mm	110 mm	50 mm	Mild Steel
* CSWUBST26	U Bolts Square Top	M12	75 mm	150 mm	50 mm	Mild Steel

Specifications: Material - Mild Steel · Finish – Galvanised · All U Bolts are Thread Rolled



Purlin Brackets

Part No.	Description	Dimensions			
		Width	# Holes	H	L
CSWPBR05	Purlin Bracket	50 mm	1	90 mm	40 mm
CSWPBR10	Purlin Bracket	75 mm	1	90 mm	40 mm
CSWPBR15	Purlin Bracket	100 mm	2	90 mm	40 mm
CSWPBR20	Purlin Bracket	125 mm	2	90 mm	30 mm
CSWPBR25	Purlin Bracket	150 mm	2	90 mm	30 mm

Specifications: Material – 3.0mm Mild Steel · Finish - Plain


* indicates items standard to the display stands

Mech Craft ENG. reserves the right to add, amend, or delete sizes without notice.

Tel: +61 3 8736 1314

e-mail: info@mechcraftengineering.com.au · website: mechcraftengineering.com.au


Fish Plates



Part No.	Description	Dimensions		
		S	A	T
CSWFP001	Fish Plate	45 mm	40 mm	6 mm
* CSWFP002	Fish Plate	45 mm	40 mm	8 mm
* CSWFP003	Fish Plate	60 mm	40 mm	8 mm
* CSWFP004	Fish Plate	60 mm	45 mm	8 mm
* CSWFP005	Fish Plate	60 mm	50 mm	8 mm

Specifications: Material - Mild Steel · Finish – Gold Passivate

Spreader Plates



Part No.	Description	Dimensions			
		L	W	T	D
* CSWUBSP40	Spreader Plate	105 mm	40 mm	10 mm	40 mm
* CSWUBSP45	Spreader Plate	110 mm	40 mm	10 mm	45 mm
* CSWUBSP50	Spreader Plate	115 mm	40 mm	10 mm	50 mm
* CSWUBSP65	Spreader Plate	130 mm	40 mm	10 mm	65 mm
* CSWUBSP75	Spreader Plate	140 mm	40 mm	10 mm	75 mm
* CSWUBSP80	Spreader Plate	145 mm	40 mm	10 mm	80 mm
* CSWUBSP90	Spreader Plate	160 mm	40 mm	12 mm	90 mm
* CSWUBSP100	Spreader Plate	170 mm	40 mm	12 mm	100 mm
* CSWUBSP25G	Spreader Plate	70 mm	20 mm	6 mm	25 mm
* CSWUBSP30G	Spreader Plate	78 mm	20 mm	6 mm	31 mm
* CSWUBSP40G	Spreader Plate	105 mm	40 mm	10 mm	40 mm
* CSWUBSP50G	Spreader Plate	115 mm	40 mm	10 mm	50 mm
* CSWUBSP75G	Spreader Plate	140 mm	40 mm	10 mm	75 mm

Specifications: Material – Mild Steel · Finish – Gold Passivate unless stated

V Bolt Clamps



Part No.	Description	Dimensions			
		L	W	H	D
* CSWVBC01	V Clamp Galvanised	90 mm	35 mm	20 mm	60 mm
* CSWVBC02	V Clamp Zinc Plated	90 mm	35 mm	20 mm	60 mm

Specifications: Material – Mild Steel · Finish – As stated

* indicates items standard to the display stands

Mech Craft ENG. reserves the right to add, amend, or delete sizes without notice.

Tel: +61 3 8736 1314

e-mail: info@mechcraftengineering.com.au · website: mechcraftengineering.com.au